ELSEVIER

Nuclear Engineering and Design 166 (1996) 499–501

Nuclear Engineering and Design

Author Index of Volume 166

Akitomo, N., see Iida, K. 166 (1996) 85
Ashmore, C.B., J.R. Gwyther and H.E. Sims, Some effects of pH on inorganic iodine volatilityin containment 166 (1996) 347

Baker, S.J., see Upson, P.C. 166 (1996) 9
Balachandar, R., see Mulpuru, S.R. 166 (1996) 443
Barchmann, H., see Winkler, R. 166 (1996) 37
Bazzichi, M., see Fineschi, F. 166 (1996) 481
Beauvais, R., see Chan, C.K. 166 (1996) 463
Bleier, A., see Funke, F. 166 (1996) 357
Bradford, P.M. and C.M. Patchett, Regulatory view of containment integrity in the United Kingdom 166 (1996) 297

Carcassi, M., see Fineschi, F. 166 (1996) 481
Chan, C.K., J.L. Loesel Sitar, R. Beauvais and F. Mayinger, Modeling maximum flame speeds 166 (1996) 463
Chan, J., see Mo, Y.L. 166 (1996) 55
Cheon No, H., see Hak Cho, B. 166 (1996) 17
Clastres, P., see Noumowe, A.N. 166 (1996) 99
Costaz, J.-L., see Noumowe, A.N. 166 (1996) 99
Cowan, R.L., see Lin, C.C. 166 (1996) 31

Danisch, R., see Liersch, G. 166 (1996) 381
Debicki, G., see Noumowe, A.N. 166 (1996) 99
Dey, M., Performance-oriented and risk-based regulation forcontainment testing 166 (1996) 305
Ding, C., see Haskin, F.E. 166 (1996) 225
Driscoll, M.J., see Gavrilas, M. 166 (1996) 427
Dubourg, M., Chernobyl—a solution for the clean up of highly contaminated forests and woodlands 166 (1996) 109

E. Todreas, N., see Gavrilas, M. 166 (1996) 427
Eghbali, D.A., see Yao, G.F. 166 (1996) 277
Ellingwood, B.R., see Naus, D.J. 166 (1996) 367

Fineschi, F., M. Bazzichi and M. Carcassi, A study on the hydrogen recombination rates of catalytic recombiners and deliberate ignition 166 (1996) 481
Fletcher, D.F. and P.J. Witt, Numerical studies of multiphase mixing with application to some small-scale experiments 166 (1996) 135
Freiman, M., see Liersch, G. 166 (1996) 381
Funke, F., G.-U. Greger, S. Hellmann, A. Bleier and W. Morell, Iodine–steel reactions under severe accident conditions in light-water reactors 166 (1996) 357
Futakawa, M., S. Takada and H. Takeishi, Evaluation of aseismic integrity in the HTTR core-bottom structure V. On the static and dynamic behavior of graphitic HTTR key–keyway structures 166 (1996) 47

Gavrilas, M., P. Hejzlar, N. E. Todreas and M.J. Driscoll, GOTHIC code evaluation of alternative passive containment cooling features 166 (1996) 427
George, T.L. and A. Singh, Separate effects tests for GOTHIC condensation and evaporative heat transfer models 166 (1996) 403
Georgevich, V., see Taleyarkhan, R.P. 166 (1996) 471
Ghiaasiaan, S.M., see Yao, G.F. 166 (1996) 277
Graves III, H.L., see Naus, D.J. 166 (1996) 367
Greger, G.-U., see Funke, F. 166 (1996) 357
Greig, D.R., see Whitehouse, D.R. 166 (1996) 453
Gwyther, J.R., see Ashmore, C.B. 166 (1996) 347

Hak Cho, B. and H. Cheon No, Design of stability-guaranteed neurofuzzy logic controller for nuclear steam generators 166 (1996) 17
Hansen, H., see Liersch, G. 166 (1996) 381
Haskin, F.E., B.D. Staple and C. Ding, Efficient uncertainty analyses using fast probability integration 166 (1996) 225
Hejzlar, P., see Gavrilas, M. 166 (1996) 427
Hellmann, S., see Funke, F. 166 (1996) 357
Henry, R.E., see Suh, K.Y. 166 (1996) 147
Henry, R.E., see Suh, K.Y. 166 (1996) 165
Hümmer[c] H. Röttinger, M., see Liersch, G. 166 (1996) 381

Hwan Jeong, N., Flooding correlation based on the concept of hyperbolicity breaking in a vertical annular flow 166 (1996) 249
Hyvärinen, J., Heat transfer characteristics of horizontal steam generators under natural circulation conditions 166 (1996) 191

Iida, K., F. Matsuda, M. Sato, M. Nayama and N. Akitomo, Study on crack generation at root of socket welds 166 (1996) 85
Imoto, K., see Takeda, H. 166 (1996) 389

Jankowski, M.W., M.J. Kulig, A. Strupczewski and E.D. Balabanov, Selected safety aspects of containments for nuclear power plants with WWER-440 reactors 166 (1996) 311
John, A., see Winkler, R. 166 (1996) 37

Key, D., The influence of damping and parameter uncertainty on seismic secondary response spectra: a random vibration approach 166 (1996) 1
Khoruzhii, O.V., S.Y. Kourtchatov and V.V. Likhanskii, Dynamics of fission gas release from molten nuclear fuel 166 (1996) 269
Kim, S.H., see Taleyarkhan, R.P. 166 (1996) 471
Koroll, G.W., see Whitehouse, D.R. 166 (1996) 453
Kourtchatov, S.Y., see Khoruzhii, O.V. 166 (1996) 269
Kulig, M.J., see Jankowski, M.W. 166 (1996) 311
Kunitomi, K., S. Nakagawa and M. Shinozaki, Passive heat removal by vessel cooling system of HTTR during no forced cooling accidents 166 (1996) 179
Kusabuka, M., see Takeda, H. 166 (1996) 389

Layly, V.D., P. Spitz, S. Tirini and A. Mailliat, Analysis of the Phebus FPT0 containment thermal hydraulics with the Jericho and Trio-VF codes 166 (1996) 413
Liersch, G., U. Peter, R. Danisch, M. Freiman, M. Hümmer, H. Röttinger and H. Hansen, Concept study for a combined reinforced concrete containment 166 (1996) 381
Likhanskii, V.V., see Khoruzhii, O.V. 166 (1996) 269
Lin, C.C., F.R. Smith and R.L. Cowan, Effects of hydrogen water chemistry on radiation field buildup in BWRs 166 (1996) 31
Loesel Sitar, J.L., see Chan, C.K. 166 (1996) 463

Mailliat, A., see Layly, V.D. 166 (1996) 413
Matsuda, F., see Iida, K. 166 (1996) 85
Mayinger, F., see Chan, C.K. 166 (1996) 463
Mo, Y.L. and J. Chan, Behavior of reinforced-concrete-framed shear walls 166 (1996) 55
Morell, W., see Funke, F. 166 (1996) 357
Mulpuru, S.R., R. Balachandar and M.H. Ungurian, Phase Doppler anemometer: commissioning tests for measurement of water aerosol sizes and velocities inflashing jets 166 (1996) 443

Nakagawa, S., see Kunitomi, K. 166 (1996) 179
Naus, D.J., C.B. Oland, B.R. Ellingwood, H.L. Graves III and W.E. Norris, Aging management of containment structures in nuclear power plants 166 (1996) 367
Nayama, M., see Iida, K. 166 (1996) 85
Norris, W.E., see Naus, D.J. 166 (1996) 367
Noumowe, A.N., P. Clastres, G. Debicki and J.-L. Costaz, Transient heating effect on high strength concrete 166 (1996) 99

Okeil, A.M. and C.C. Tung, Effects of ductility on seismic response of piping systems and their implication on design and qualification 166 (1996) 69
Oland, C.B., see Naus, D.J. 166 (1996) 367
Oswald, S., see Winkler, R. 166 (1996) 37

Patchett, C.M., see Bradford, P.M. 166 (1996) 297
Peter, U., see Liersch, G. 166 (1996) 381

Sammataro, R.F., Containment inservice inspection: where do we go from here? 166 (1996) 327
Sato, M., see Iida, K. 166 (1996) 85
Sawruk, W., see Taleyarkhan, R.P. 166 (1996) 471
Seiler, J.M., Phase segregation model and molten pool thermal-hydraulics during molten core–concrete interaction 166 (1996) 259
Shinozaki, M., see Kunitomi, K. 166 (1996) 179
Simpson, D.B., see Taleyarkhan, R.P. 166 (1996) 471
Sims, H.E., see Ashmore, C.B. 166 (1996) 347
Singh, A., see George, T.L. 166 (1996) 403
Smith, F.R., see Lin, C.C. 166 (1996) 31
Soejima, M., see Takeda, H. 166 (1996) 389
Spitz, P., see Layly, V.D. 166 (1996) 413
Staple, B.D., see Haskin, F.E. 166 (1996) 225
Strupczewski, A., see Jankowski, M.W. 166 (1996) 311
Suh, K.Y. and R.E. Henry, Debris interactions in reactor vessel lower plena during a severe accident II. Integral analysis 166 (1996) 165
Suh, K.Y. and R.E. Henry, Debris interactions in reactor vessel lower plena during a severe accident I. Predictive model 166 (1996) 147

Takada, S., see Futakawa, M. 166 (1996) 47
Takeda, H., M. Kusabuka, K. Imoto, K. Takumi and M. Soejima, Numerical algorithm for local failure mechanism of pre-stressed concrete containment vessel wall with penetration 166 (1996) 389
Takeishi, H., see Futakawa, M. 166 (1996) 47

Takeda, H., M. Kusabuka, K. Imoto, K. Takumi and M. Soejima, Numerical algorithm for local failure mechanism of pre-stressed concrete containment vessel wall with penetration 166 (1996) 389
Takeishi, H., see Futakawa, M. 166 (1996) 47
Takumi, K., see Takeda, H. 166 (1996) 389
Taleyarkhan, R.P., V. Georgevich, S.H. Kim, S. Valenti, D.B. Simpson and W. Sawruk, Modeling and analysis of hydrogen detonation events in the advanced neutron source reactor containment 166 (1996) 471
Tirini, S., see Layly, V.D. 166 (1996) 413
Tung, C.C., see Okeil, A.M. 166 (1996) 69

Ungurian, M.H., see Mulpuru, S.R. 166 (1996) 443
Upson, P.C. and S.J. Baker, Expansion by the introduction of new technology in a market characterized by overcapacity—the success of Urencocentrifuge technology 166 (1996) 9

Valenti, S., see Taleyarkhan, R.P. 166 (1996) 471

Whitehouse, D.R., D.R. Greig and G.W. Koroll, Combustion of stratified hydrogen–air mixtures in the 10.7 m^3 Combustion Test Facility cylinder 166 (1996) 453
Winkler, R., H. Barchmann, S. Oswald and A. John, Investigation on pre-oxidation of steels in light water reactor circuits 166 (1996) 37
Witt, P.J., see Fletcher, D.F. 166 (1996) 135
Wongwises, S., Two-phase countercurrent flow in a model of a pressurized water reactor hot leg 166 (1996) 121

Yao, G.F., S.M. Ghiaasiaan and D.A. Eghbali, Semi-implicit modeling of condensation in the presence of non-condensables in the RELAP5/MOD3 computer code 166 (1996) 277

ELSEVIER

Nuclear Engineering and Design 166 (1996) 503–504

Nuclear Engineering and Design

Subject Index of Volume 166

Engineering mechanics

Effects of ductility on seismic response of piping systems and their implication on design and qualification
A.M. Okeil, C.C. Tung 166 (1996) 69

Materials properties

Effects of hydrogen water chemistry on radiation field buildup in BWRs
Chien C. Lin, F.R. Smith, R.L. Cowan 166 (1996) 31
Investigation on pre-oxidation of steels in light water reactor circuits
R. Winkler, H. Barchmann, S. Oswald, A. John 166 (1996) 37
Transient heating effect on high strength concrete
A.N. Noumowe, P. Clastres, G. Debicki, J.-L. Costaz 166 (1996) 99

Mechanical design, component fabrication and testing

Evaluation of aseismic integrity in the HTTR core-bottom structure V. On the static and dynamic behavior of graphitic HTTR key–keyway structures
M. Futakawa, S. Takada, H. Takeishi, T. Iyoku 166 (1996) 47
Behavior of reinforced-concrete-framed shear walls
Y.L. Mo, J. Chan 166 (1996) 55
Study on crack generation at root of socket welds
K. Iida, F. Matsuda, M. Sato, M. Nayama, N. Akitomo 166 (1996) 85
Regulatory view of containment integrity in the United Kingdom
P.M. Bradford, C.M. Patchett 166 (1996) 297
Performance oriented and risk-based regulation for containment testing
M. Dei 166 (1996) 305
Selected safety aspects of containments for nuclear power plants with WWER-440 reactors
M.W. Jankowski, M.J. Kulig, A. Strupczewski, E.D. Balabanov 166 (1996) 311
Containment in service inspection: where do we go from here?
Robert F. Sammataro 166 (1996) 327
Some effects of pH on inorganic iodine volatility in containment
C.B. Ashmore, J.R. Gwyther, H.E. Sims 166 (1996) 347
Iodine–steel reactions under severe accident conditions in light-water reactors
F. Funke, G.-U. Greger, S. Hellmann, A. Bleier, W. Morell 166 (1996) 357
Aging management of containment structures in nuclear power plants
D.J. Naus, C.B. Oland, B.R. Ellingwood, H.L. Graves III, W.E. Norris 166 (1996) 367
Concept study for a combined reinforced concrete containment
G. Liersch, U. Peter, R. Danisch, M. Freiman, M. Hümmer, H. Röttinger, H. Hansen 166 (1996) 381
Numerical algorithm for local failure mechanism of pre-stressed concrete containment vessel wall with penetration
H. Takeda, M. Kusabuka, K. Imoto, K. Takumi, M. Soejima 166 (1996) 389
Separate effects tests for GOTHIC condensation and evaporative heat transfer models
T.L. George, A. Singh 166 (1996) 403
Analysis of the Phebus FPT0 containment thermal hydraulics with the Jericho and Trio-VF codes
V.D. Layly, P. Spitz, S. Tirini, A. Mailliat 166 (1996) 413

GOTHIC code evaluation of alternative passive containment cooling features
M. Gavrilas, P. Hejzlar, N.E. Todreas, M.J. Driscoll 166 (1996) 427
Phase doppler anemometer: commissioning tests for measurement of water aerosol sizes and velocities in flashing jets
S.R. Mulpuru, R. Balachandar, M.H. Ungurian 166 (1996) 443
Combustion of stratified hydrogen–air mixtures in the 10.7 m^3 Combustion Test Facility cylinder
D.R. Whitehouse, D.R. Greig, G.W. Koroll 166 (1996) 453
Modelling maximum flame speeds
C.K. Chan, J.L. Loesel Sitar, R. Beauvais, F. Mayinger 166 (1996) 463
Modeling and analysis of hydrogen detonation events in the advanced neutron source reactor containment
R.P. Taleyarkhan, V. Georgevich, S.H. Kim, S. Valenti, D.B. Simpson, W. Sawruk 166 (1996) 471
A study on the hydrogen recombination rates of catalytic recombiners and deliberate ignition
F. Fineschi, M. Bazzichi, M. Carcassi 166 (1996) 481

Structural design, construction methods and testing

The influence of damping and parameter uncertainty on seismic secondary response spectra: a random vibration approach
David Key 166 (1996) 1
Effects of ductility on seismic response of piping systems and their implication on design and qualification
A.M. Okeil, C.C. Tung 166 (1996) 69

Miscellaneous

Expansion by the introduction of new technology in a market characterized by overcapacity—the success of Urenco centrifuge technology
P.C. Upson, S.J. Baker 166 (1996) 9

System control and controls

Design of stability-guaranteed neurofuzzy logic controller for nuclear steam generators
Byung Hak Cho, Hee Cheon No 166 (1996) 17

Nuclear safety

Chernobyl—a solution for the clean up of highly contaminated forests and woodlands
M. Dubourg 166 (1996) 109

Thermal-hydraulics and safety

Two-phase countercurrent flow in a model of a pressurized water reactor hot leg
Somchai Wongwises 166 (1996) 121
Numerical studies of multiphase mixing with application to some small-scale experiments
D.F. Fletcher, P.J. Witt 166 (1996) 135
Debris interactions in reactor vessel lower plena during a severe accident I. Predictive model
K.Y. Suh, R.E. Henry 166 (1996) 147
Debris interactions in reactor vessel lower plena during a severe accident II. Integral analysis
K.Y. Suh, R.E. Henry 166 (1996) 165
Passive heat removal by vessel cooling system of HTTR during no forced cooling accidents
K. Kunitomi, S. Nakagawa, M. Shinozaki 166 (1996) 179
Heat transfer characteristics of horizontal steam generators under natural circulation conditions
Juhani Hyvärinen 166 (1996) 191
Efficient uncertainity analyses using fast probability integration
F.E. Haskin, B.D. Staple, C. Ding 166 (1996) 225
Flooding correlation based on the concept of hyperbolicity breaking in a vertical annular flow
H.C. No, J.H. Jeong 166 (1996) 249
Phase segregation model and molten pool thermal-hydraulics during molten core-concrete interaction
J.M. Seiler 166 (1996) 259
Dynamics of fission gas release from molten nuclear fuel
O.V. Khoruzhii, S.Y. Kourtachatov, V.V. Likhanskii 166 (1996) 269
Semi-implicit modeling of condensation in the presence of non-condensables in the RELAP5/MOD3 computer code
G.F. Yao, S.M. Ghiaasiaan, D.A. Eghbali 166 (1996) 277